

NOTICE OF NON-RESPONSIVE AMENDMENT

The reply filed on 17 January 2008 is not fully responsive because it fails to include a complete or accurate record of the substance of the 12 December 2007 interview. The reply does not appear to acknowledge or mention that the interview was conducted, and thus clearly fails to include any record of the substance of the interview. See MPEP § 713.04. Since the above mentioned reply appears to be *bona fide*, applicant is given a TIME PERIOD of **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME LIMIT MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zachary A. Davis whose telephone number is (571)272-3870. The examiner can normally be reached on weekdays 8:30-6:00, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel Moise can be reached on (571) 272-3865. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ZAD/
Examiner, Art Unit 2137

/Emmanuel L. Moise/
Supervisory Patent Examiner, Art Unit 2137